



| Sample Name       | FPB AMP-01                                  | FPB AMP-02 | FPB AMP-03 | FPB AMP-04 | FPB AMP-05 | FPB AMP-06 | FPB AMP-07 | FPB AMP-08 | FPB AMP-09 | FPB AMP-10 | FPB AMP-11 | FPB AMP-12 | FPB AMP-13 | FPB AMP-14 | FPB AMP-15 | FPB AMP-16 | FPB AMP-17 | FPB AMP-18 | FPB AMP-19 | FPB AMP-20 | FPB AMP-21 | FPB AMP-22 | FPB AMP-23 | FPB AMP-24 | FPB AMP-25 | FPB AMP-26 |
|-------------------|---------------------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Date of Retrieval | Benzene Sample Results (µg/m <sup>3</sup> ) |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |
| 5/2/2024          | 0.289                                       | 0.356      | 0.319      | 0.324      | 0.886      | 1.030      | 1.060      | 0.682      | 0.347      | 0.358      | 0.490      | 0.433      | 0.642      | 0.881      | 0.908      | 0.506      | 0.420      | 0.470      | 0.379      | 0.424      | 0.302      | 0.315      | 0.275      | 0.349      | 0.333      | 0.401      |
| 5/16/2024         | 0.512                                       | 0.700      | 0.476      | 0.507      | 1.150      | 1.150      | 1.010      | 0.370      | 1.000      | 0.755      | 0.696      | 0.729      | 0.664      | 1.160      | 0.371      | 0.509      | 0.554      | 0.534      | 0.565      | 0.474      | 0.473      | 0.470      | 0.430      | 0.489      | 0.497      |            |
| 5/30/2024         | 0.626                                       | 0.582      | 0.670      | 0.689      | 2.020      | 1.370      | 1.870      | 1.180      | 0.488      | 1.320      | 0.900      | 0.742      | 0.854      | 0.685      | 1.320      | 0.621      | 0.592      | 0.548      | 0.746      | 0.599      | 0.582      | 0.589      | 0.684      | 0.535      | 0.682      | 0.573      |
| 6/13/2024         | 0.497                                       | 0.513      | 0.442      | 0.548      | 0.936      | 2.620      | 4.900      | 0.593      | 0.481      | 0.527      | 0.547      | 0.477      | 1.080      | 0.439      | 0.834      | 0.506      | 0.605      | 0.583      | 0.434      | 0.467      | 0.558      | 0.907      | 0.920      | 0.555      | 0.605      | 0.636      |
| 6/27/2024         | 0.309                                       | 0.376      | 0.601      | 0.877      | 4.410      | 1.530      | 2.110      | 0.195      | NO         | 0.269      | 0.319      | 0.379      | 0.480      | 0.305      | 0.746      | 0.364      | 0.418      | 0.410      | 0.308      | 0.316      | 0.251      | 0.385      | 0.264      | 0.261      | 0.268      |            |
| 7/11/2024         | 0.582                                       | 0.556      | 0.669      | 0.514      | 0.812      | 1.130      | 3.360      | 0.465      | 0.482      | 0.662      | 0.686      | 0.368      | 0.608      | 0.700      | Fe         | 0.554      | 0.631      | 0.513      | 0.473      | 0.416      | 0.419      | 0.375      | 0.476      | 0.486      | 0.440      | 0.481      |
| 7/26/2024         | 0.400                                       | 0.711      | 0.440      | 0.348      | 0.531      | 0.597      | 1.100      | 0.647      | 0.267      | 0.321      | 0.463      | 0.289      | 0.431      | 1.710      | 0.436      | 0.395      | 0.325      | 0.320      | 0.409      | 0.347      | 0.457      | 0.321      | 0.340      | 0.410      | 0.509      | 0.320      |
| 8/9/2024          | 0.487                                       | 0.724      | 0.495      | 0.612      | 0.691      | 1.060      | 0.705      | 0.705      | 0.315      | 0.422      | 0.428      | 0.473      | 0.632      | 2.100      | 0.633      | 0.505      | 0.377      | 0.334      | 0.474      | 0.617      | 0.358      | 0.531      | 0.512      | 0.470      | 0.544      | 0.467      |
| 8/23/2024         | 0.500                                       | 0.592      | 0.530      | 0.651      | 0.715      | 0.525      | 0.758      | 0.507      | 0.478      | 0.525      | 0.570      | 0.525      | 0.738      | 1.400      | 0.776      | 0.406      | 0.441      | 0.507      | 0.441      | 0.801      | 0.434      | 0.391      | 0.457      | 0.479      | 0.422      |            |
| 9/6/2024          | 0.505                                       | 0.650      | 0.481      | 0.417      | 0.927      | 1.630      | 5.050      | 0.513      | 0.495      | 0.617      | 0.435      | 0.468      | 0.751      | 0.519      | 0.880      | 0.621      | 0.551      | 0.443      | 0.603      | 0.405      | 0.533      | 0.477      | 0.614      | 0.553      | 0.504      | 0.534      |
| 9/20/2024         | 0.564                                       | 0.604      | 0.506      | 0.567      | Fe         | 0.892      | 1.290      | 0.469      | 0.618      | 0.569      | 0.446      | 0.600      | 0.998      | 0.524      | 0.776      | 0.674      | 0.472      | 0.397      | 0.668      | 0.479      | 0.588      | 0.512      | 0.734      | 0.635      | 0.564      | 0.552      |
| 10/3/2024         | 0.583                                       | 0.618      | 0.541      | 0.651      | 0.595      | 1.000      | 0.624      | 0.687      | 0.489      | 0.584      | 0.448      | 0.796      | 0.519      | 0.622      | 0.813      | 0.741      | 0.518      | 0.502      | 0.523      | 0.594      | 0.446      | 0.515      | 0.534      | 0.648      | 0.639      | 0.586      |
| 10/16/2024        | 0.665                                       | 0.988      | 0.719      | 0.815      | 0.786      | 3.060      | 3.750      | 1.000      | 0.647      | 0.596      | 0.668      | 0.701      | 0.634      | 0.682      | 1.030      | 0.737      | 0.637      | 0.622      | 0.707      | 0.667      | 0.739      | 1.080      | 0.816      | 1.210      | 0.833      | 0.665      |
| 10/31/2024        | 0.412                                       | 0.570      | 0.428      | 0.450      | 0.478      | 0.816      | 0.770      | 0.408      | 0.416      | 0.468      | 0.508      | 0.449      | 0.549      | 0.485      | 0.728      | 0.477      | 0.499      | 0.374      | 0.597      | 0.368      | 0.425      | 0.389      | 0.418      | 0.648      | 0.494      | 0.431      |
| 11/14/2024        | 0.697                                       | 0.723      | 0.614      | 0.613      | 0.549      | 0.763      | 1.090      | 0.596      | 0.609      | 0.627      | 0.536      | 0.691      | 0.577      | 0.584      | 0.833      | 0.725      | 0.584      | 0.511      | 0.637      | 0.541      | 0.647      | 0.615      | 0.600      | 0.593      | 0.640      | 0.582      |
| 11/27/2024        | 0.710                                       | 0.701      | 0.630      | 0.681      | 0.628      | 0.639      | 0.699      | 0.763      | 0.692      | 0.623      | 0.615      | 0.641      | 0.613      | 0.598      | 0.650      | 0.674      | 0.598      | 0.602      | 0.594      | 0.603      | 0.536      | 0.701      | 0.597      | 0.543      | 0.663      | 0.624      |
| 12/12/2024        | 0.709                                       | 0.669      | 0.549      | 0.793      | 0.770      | 0.738      | 1.050      | 0.965      | 0.615      | 0.614      | 0.492      | 0.729      | 0.813      | 0.636      | 0.727      | 0.759      | 0.627      | 0.747      | 0.793      | 0.641      | 0.623      | 0.732      | 0.843      | 0.867      | 0.711      | 0.711      |
| 12/27/2024        | 0.565                                       | 0.692      | 0.576      | 0.611      | 0.612      | 0.663      | 1.020      | 0.711      | 0.549      | 0.554      | 0.445      | 0.555      | 0.535      | 0.563      | 0.575      | 0.626      | 0.514      | 0.568      | 0.716      | 0.467      | 0.544      | 0.527      | 0.590      | 0.554      | 0.513      | 0.591      |
| 1/9/2025          | 0.677                                       | 0.723      | 0.676      | 0.777      | 0.823      | 0.759      | 0.986      | 1.120      | 0.645      | 0.691      | 0.591      | 0.816      | 0.800      | 0.741      | 0.738      | 0.783      | 0.676      | 0.752      | 0.818      | 0.657      | 0.688      | 0.630      | 0.752      | 0.690      | 0.803      | 0.687      |
| 1/24/2025         | 0.758                                       | 0.727      | 0.630      | 0.695      | 0.725      | 0.896      | 0.851      | 0.740      | 0.668      | 0.677      | 0.613      | 0.763      | 0.809      | 0.641      | 0.764      | 0.835      | 0.706      | 0.647      | 0.837      | 0.647      | 0.701      | 0.767      | 0.767      | 0.614      | 0.668      | 0.663      |
| 2/7/2025          | 0.710                                       | 0.651      | 0.709      | 0.597      | 0.779      | 0.747      | 0.956      | 0.764      | 0.695      | 0.703      | 0.611      | 0.662      | 0.777      | 0.613      | 0.734      | 0.696      | 0.709      | 0.723      | 0.691      | 0.561      | 0.678      | 0.602      | 0.575      | 0.515      | 0.589      | 0.702      |
| 2/21/2025         | 0.769                                       | 0.686      | 0.579      | 0.818      | 0.665      | 0.844      | 1.16       | 0.727      | 0.331      | 0.567      | 0.524      | 0.706      | 0.792      | 0.711      | 0.614      | 0.717      | 0.565      | 0.611      | 0.742      | 0.771      | 0.610      | 0.728      | 0.858      | 0.528      | 0.652      | 0.591      |
| 3/6/2025          | 0.808                                       | 0.671      | 0.691      | 0.710      | 0.781      | 0.887      | 0.850      | 0.853      | 0.666      | 0.771      | 0.712      | 0.947      | 0.849      | 0.886      | 0.766      | 0.755      | 0.732      | 0.695      | 0.724      | 0.750      | 0.691      | 0.796      | 0.760      | 0.840      | 0.787      |            |
| 3/20/2025         | 0.492                                       | 0.528      | 0.532      | 0.63       | 0.505      | 0.464      | 0.527      | 0.561      | 0.445      | 0.563      | 0.453      | 0.532      | 0.433      | 0.498      | 0.588      | 0.504      | 0.414      | 0.449      | 0.522      | 0.469      | 0.384      | 0.497      | 0.478      | 0.455      | 0.495      | 0.617      |
| 4/3/2025          | 0.341                                       | 0.331      | 0.351      | 0.482      | 0.405      | 0.501      | 0.691      | 0.399      | 0.358      | 0.400      | 0.367      | 0.419      | 0.468      | 0.411      | 0.472      | 0.465      | 0.412      | 0.375      | 0.429      | 0.348      | 0.315      | 0.377      | 0.417      | 0.293      | 0.480      | 0.376      |
| 4/16/2025         | 0.416                                       | 0.658      | 0.365      | 0.459      | 0.395      | 0.415      | 0.695      | 0.548      | 0.354      | 0.334      | 0.359      | 0.477      | 0.445      | 0.400      | 0.459      | 0.425      | 0.397      | 0.373      | 0.397      | 0.298      | 0.347      | 0.394      | 0.359      | 0.360      | 0.369      | 0.404      |

|                      |      |                   |
|----------------------|------|-------------------|
| Sampling Period ΔC * | 0.40 | µg/m <sup>3</sup> |
| Annual Average ΔC ** | 1.30 | µg/m <sup>3</sup> |

\* Sampling Period ΔC = Difference between the highest and lowest concentrations detected during the sampling period  
\*\* Annual Average ΔC = The rolling average of the 26 previous 14 day sampling periods.  
ND: The analyte was not detected  
Fe: Results are not available due to a field error.