Hahnville, LA St. Charles Operations Site Fenceline Monitoring Program Civil Action No. 2:21-cv-114



| Sample Name | SCO_AMP-01 | SCO_AMP-02 | SCO_AMP-03 | SCO_AMP-04 | SCO_AMP-05 | SCO_AMP-06 | SCO_AMP-07 | SCO_AMP-08 | SCO_AMP-09 | SCO_AMP-10 | SCO_AMP-11 | SCO_AMP-12 | SCO_AMP-13 | SCO_AMP-14 |
|-------------------|------------|------------|------------|------------|------------|------------|--------------|------------------|------------|------------|------------|------------|------------|--|
| Date of Retrieval | | | | | | | Benzene Samp | le Results (μg/m | n³) | | | | | |
| 6/16/2022 | 0.675 | 1.41 | 0.199 J | 0.383 J | 0.330 | 0.352 J | 0.384 J | 0.317 J | 0.459 | 0.354 J | 0.824 | 1.50 | 2.3 I,Rc | 0.962 |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | 1 | | | | 1 | + |
| | | - | + | | | | | | - | - | | + | - | + |
| | | | | | | | | | | | | | | + |
| | | | | | | | | | | | | | | + |
| | | | | | | | | | | | | | | + |
| | | | 1 | | | | | | 1 | | | 1 | | + |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | 1 | | | | | | | | | 1 | | |
| | | 1 | | | | | | | | | <u> </u> | | | |
| | | | | | | | | | | | ļ | | | |
| | | | 1 | | | | | | | | | 1 | | |
| | - | | + | 1 | | | | 1 | | | 1 | + | | + |
| | | | | | | | | | | | | | | |

| Sampling Period ΔC * | 2.10 | μg/m³ |
|----------------------|------|-------------------|
| Annual Average ΔC ** | NA | μg/m ³ |

^{*} Sampling Period ΔC = Difference between the highest and lowest concentrations detected during the sampling period

Rc = Recollection analysis

^{**} Annual Average ΔC = The rolling average of the 26 previous 14 day sampling periods. This will be calculated after data from 26 sampling periods are available.

I = Internal Standard recovery outside acceptance limits